

**ORBEA**



## AVANT M30TEAM-D 19.

ESTÁ EN ESTOS COLORES:



AZUL-ROJO (BRILLO)



NEGRO (MATE) / GRIS  
(BRILLO)



JADE-NEGRO



BLANCO-NEGRO  
(BRILLO-MATE)

## ESPECIFICACIONES Y OPCIONES

<b>CUADRO</b>	Orbea Avant carbon OMP disc, monocoque construction,tapered 1-1/8" - 1,5", BB 386mm, powermeter compatible, Thru Axle 12mm x 142mm rear, internal cable routing, EC/DC compatible, 27,2mm seat tube.
<b>HORQUILLA</b>	Avant OMP carbon disc fork, full carbon steerer, tapered 1-1/8" - 1,5", carbon dropouts Thru axle 12mm x 100m
<b>PLATO</b>	Shimano 105 R7000 34x50t FSA Gossamer Pro 32x48t Shimano 105 R7000 39x53t Rotor Aldhu 36x52t Rotor 2INpower DM 34x50t Rotor 2INpower DM 36x52t
<b>DIRECCION</b>	FSA 1-1/8 - 1-1/2" Integrated Carbon Cup ACB Bearings
<b>MANILLAR</b>	FSA Gossamer Compact FSA Energy Compact FSA K-Force Compact Vision Metron 4D Compact
<b>POTENCIA</b>	Orbea OC-III FSA Energy FSA OS-99 CSI
<b>MANETAS</b>	Shimano ST-7020
<b>FRENO</b>	Shimano R7070 Hydraulic Disc
<b>PIÑON</b>	Shimano 105 R7000 11-28t 11-Speed Shimano 105 R7000 11-30t 11-Speed Shimano 105 R7000 11-32 11-Speed (RD GS)
<b>CAMBIO</b>	Shimano 105 R7000 GS
<b>DESVIADOR</b>	Shimano 105 R7000
<b>CADENA</b>	KMC X11-EL
<b>RUEDA</b>	FULCRUM Racing 600 DB Mavic Ksyrium Elite Black UST DB + Tires DT Swiss P1850 23
<b>CUBIERTA</b>	Vittoria Rubino Foldable 700x25 60TPI G+ Hutchinson Fusion 5 All Season TLR 700x25 Hutchinson Fusion 5 All Season TLR 700x28 Hutchinson Sector 700x28 TLR Hutchinson Sector 700x32 TLR
<b>PEDALES</b>	N/A


## GEOMETRÍA

TALLA	47	49	51	53	55	57	60
<b>1 - SEAT_TUBE</b>	410	440	470	490	510	530	560
<b>2 - TOP_TUBE</b>	508	520	533	547	559	578	592
<b>3 - HEAD_TUBE</b>	108	121	138	158	181	200	221
<b>4 - CHAIN_STAY</b>				415			
<b>5 - BB_HEIGHT</b>	270	270	270	272	272	272	272
<b>6 - BB_DROP</b>	75	75	75	73	73	73	73
<b>7 - WHEELBASE</b>	978	979	989	992	1002	1013	1025
<b>8 - HEAD_ANGLE</b>	71º	71.5º	71.9º	72.4º	72.6º	72.8º	73º
<b>9 - SEAT_ANGLE</b>	74.5º	74º	73.75º	73.5º	73.5º	73º	73º
<b>10 - STANDOVER</b>	727.5	750	771.6	793.3	814	832.4	857.3
<b>11 - REACH</b>	364	368	372	378	383	390	398
<b>12 - STACK</b>	520	535	553	572	595	614	635
<b>13 - FORK_LENGTH</b>				380			
<b>14 - OFFSET</b>	50	50	50	45	45	45	45

## ERGONOMÍA

TALLA	BIELA	POTENCIA	MANILLAR
47	170	90	400
49	170	100	400
51	170	100	420
53	170	110	420
55	172	110	420
57	172	110	440
60	175	120	440

\* La medida del manillar es centro-centro



<b>TIJA SILLIN</b>	Orbea OC-III Carbon 27.2x350mm
	FSA K-Force Offset SB0 27,2x350/400mm
	FSA K-Force Offset SB25 27,2x350/400mm
<b>SILLIN</b>	Selle Italia X3 Flow
	Prologo Scratch-2 Tirox size 143 mm Black
	Prologo Nago Evo Space Tirox size 141mm
	Prologo Dimension T4,0 Black
	Selle Italia SLR Kit Carbonio Black
<b>CINTA MANILLAR</b>	Velo Anti-Slippery/Shock Proof
--	