

ORBEA

WILD FS 40 29S 19.



ESTÁ EN ESTOS COLORES:



ROJO BRILLO-NEGRO
(BRILLO)



MORADO-NEGRO (MATE)

ESPECIFICACIONES Y OPCIONES

CUADRO	ORBEA WILD Full Suspension 2019 Hydroformed Alloy 140mm Travel Boost 12X148 for Shimano E8000/7000
AMORTIGUADOR	Fox Float DPS Performance 3-Position Evol custom tune 200x51mm
HORQUILLA	Rock Shox Sektor RL 140 Air QR15x110 Boost e-MTB Fox 34 Float Performance 140 3-Position QR15x110 E-Bike
PLATO	Shimano E80 34t
BIELA	Miranda Delta 155mm
DIRECCION	Acros Alloy 1-1/8 - 1-1/2" Integrated
MANILLAR	Orbea 35mm Riser 780mm
POTENCIA	Orbea 35mm interface
MANETAS	Shimano Deore M6000
FRENO	Shimano MT201 Hydraulic Disc Shimano XT M8020 Hydraulic disc
PIÑON	Sun Race 11-42t 10-Speed
CAMBIO	Shimano Deore M6000 GS Shadow Plus Direct Mount Shimano SLX M7000 11-46t
CADENA	KMC e10 Turbo Silver
RUEDA	Duroc 35 TL 6-Bolt DT H-1700 Spline 30c TLR 15/110mm IS (6-bolt)
CUBIERTA	Kenda 1211E Nevegal 2 29x2.4" 60TPI TLR (E-MTB specific) Kenda 1201E Hellkat/1211E Nevegal 29X2,6 60 TPI TLR (E-MTB)
PEDALES	VP-537 Black
TIJA SILLIN	Race Face Aeffect Dropper 31.6x385/125mm Crank brothers Highline 31,6x425/150mm
SILLIN	Selle Royal 2077 DRN
CANDADO	Abus battery down tube lock
GUIACADENA	Orbea OC chainguide
MOTOR	Shimano Steps DU-E7000 25kmh Shimano Steps E8000 System
BATERÍA	Shimano Steps E8010
DISPLAY	Shimano Steps SC-E7000
CIERRE RUEDA TRASERO	
CARGADOR	Shimano Steps E6002


GEOMETRÍA

TALLA	S	M	L	XL
1 - SEAT_TUBE	390	430	470	510
2 - TOP_TUBE	565	581	610	639
3 - HEAD_TUBE	115	128	143	159
4 - CHAIN_STAY			450	
5 - BB_HEIGHT			337.5	
6 - BB_DROP			30	
7 - WHEELBASE	1132	1152	1183	1215
8 - HEAD_ANGLE			67	
9 - SEAT_ANGLE			74º	
10 - STANDOVER	715	745	765	790
11 - REACH	385	400	425	450
12 - STACK	620	632	646	661
13 - FORK_LENGTH			545	
14 - OFFSET			44	

ERGONOMÍA

TALLA	BIELA	POTENCIA	MANILLAR
S	152	55	780
M	152	55	780
L	152	55	780
XL	152	55	780

* La medida del manillar es centro-centro



Shimano Steps E6000

REMOTO1

Shimano E7000 switch unit for assist

--

Left Road
