

**ORBEA**



## ORCA MIOTEAM-D 19.

SE TROUVE DANS CES COULEURS:



NOIR-ROUGE (MAT-BRILLANT)



NOIR-GRIS



NOIR-ROUGE-BLANC  
(MAT-BRILLANT)



BLEU-ORANGE (MAT)



MENTHE-NOIR (BRILLANT)



JAUNE-ROUGE (BRILLANT)

## SPÉCIFICATIONS ET OPTIONS

<b>CADRE</b>	Orbea Orca carbon OMR Disc, monocoque construction, tapered 1-1/8" - 1,5", BB 386mm, powermeter compatible, Thru Axle 12mm x 142mm rear, internal cable routing, EC/DC compatible, 27,2mm seat tube.
<b>FOURCHE</b>	Orbea Orca OMR Disc carbon fork, full carbon steerer, tapered 1-1/8" - 1,5", carbon dropouts, Thru axle 12 x 100mm
<b>PLATEAU DE PEDALIER</b>	Shimano Dura-Ace 9100 34x50t
	Shimano Dura-Ace 9100 39x53t
	Rotor Aldhu 36x52t
	Rotor 2INpower DM 34x50t
	Rotor 2INpower DM 36x52t
<b>DIRECTION</b>	FSA 1-1/8" - 1-1/2" Integrated Carbon Cup Light Bearings
<b>CINTRE</b>	FSA Energy Compact
	FSA K-Force Compact
	Vision Metron 4D Compact
<b>POTENCE</b>	FSA Energy
	FSA OS-99 CSI
<b>MANETTES</b>	Shimano R9120
<b>FREINS</b>	Shimano R9170 Hydraulic Disc
<b>PIGNON</b>	Shimano Dura-Ace 9100 11-28t 11-Speed
	Shimano Dura-Ace 9100 11-25t 11-Speed
	Shimano Dura-Ace 9100 11-30t 11-Speed
<b>DERAILLEUR ARRIÈRE</b>	Shimano Dura-Ace 9100
<b>DERAILLEUR AVANT</b>	Shimano Dura-Ace 9100
<b>CHAINE</b>	Shimano HG 901
<b>ROUES</b>	DT ER 1600 Spline DB 32 CL TL
	Mavic Ksyrium Elite Black UST DB + Tires
	DT Swiss ARC1400 Dicut 48 DB
<b>PNEUS</b>	Hutchinson Fusion 5 All Season TLR 700x25
	Hutchinson Fusion 5 All Season TLR 700x28
<b>PEDALE</b>	N/A
<b>TIGE SELLE</b>	FSA SL-K SB20 27.2x350mm Di2 compatible
	FSA S-LK Offset SB0 27,2x350/400mm
	FSA K-Force Offset SB0 27,2x350/400mm
	FSA K-Force Offset SB25 27,2x350/400mm
<b>SELLE</b>	Hard Black Scratch-2 Tirox size 143 mm


## GÉOMÉTRIE

TAILLE	47	49	51	53	55	57	60
<b>1 - SEAT_TUBE</b>	440	460	480	500	520	540	570
<b>2 - TOP_TUBE</b>	510	522	536	548.5	560	576	590
<b>3 - HEAD_TUBE</b>	104	111	130	148	168	186	213
<b>4 - CHAIN_STAY</b>	414						
<b>5 - BB_HEIGHT</b>	269.5	269.5	269.5	271.5	271.5	271.5	271.5
<b>6 - BB_DROP</b>	72	72	72	70	70	70	70
<b>7 - WHEELBASE</b>	972	975	980	981	991	1002	1027
<b>8 - HEAD_ANGLE</b>	71°	71.5°	72.2°	72.8°	73°	73.2°	73.2°
<b>9 - SEAT_ANGLE</b>	74.5°	74°	73.7°	73.5°	73.5°	73.2°	73.2°
<b>10 - STANDOVER</b>	729	742	758	780	800	817	844
<b>11 - REACH</b>	370	375	380	385	391	398	404
<b>12 - STACK</b>	506	515	533	552	572	590	616
<b>13 - FORK_LENGTH</b>	370						
<b>14 - OFFSET</b>	48	48	48	43	43	43	43

## ERGONOMIE

TAILLE	BIELLE	POTENCE	CINTRE
47	170	90	400
49	170	100	400
51	170	100	420
53	170	110	420
55	172	110	420
57	172	110	440
60	175	120	440

\* La dimension du guidon est centre-centre



---

Prologo Dimension T4,0 Black

---

Selle Italia SLR Kit Carbonio Black

---

**RUBAN DE GUIDON** Velo Anti-Slippery/Shock Proof

---

--

---