

**ORBEA**



## ORCA AERO M20TEAM 19.

BESCHIKBAAR IN DEZE KLEUREN:



STAAL ZWART (GLOSS-MAT)



ZWART-ROOD (DOF)



ROOD-ZWART (DOF)



BLAUW (GLOSS)



PAREL-ZILVER (DOF)

## SPECIFICATIES AND OPTIES

<b>FIETSFRAME</b>	Orbea Orca Aero carbon OMR, monocoque construction, tapered 1-1/8" - 1,5", BB 386mm, powermeter compatible, internal cable routing, EC/DC compatible.
<b>VORK</b>	Orca Aero OMR carbon fork, full carbon steerer, tapered 1-1/8" - 1,5", carbon dropouts
<b>CRANKSET</b>	Shimano Ultegra R8000 34x50t
	Shimano Ultegra R8000 39x53t
	Rotor Aldhu 36x52t
	Rotor 2INpower DM 34x50t
	Rotor 2INpower DM 36x52t
<b>BALHOOFDLAGER PERB</b>	FSA 1-1/8 - 1-1/2" Integrated Carbon Cup ACB Bearings
<b>STUUR</b>	FSA Trimax Compact
	Vision Metron 4D Compact
	Vision Metron 5D Compact
<b>STUURPEN</b>	Orbea OC-III
<b>HENDELS</b>	Shimano Ultegra R8000
<b>REMMEN</b>	Shimano Ultegra R8010
<b>KETTINGWIEL</b>	Shimano Ultegra R8000 11-28t 11-Speed
	Shimano Ultegra R8000 11-25t 11-Speed
	Shimano Ultegra R8000 11-30t 11-Speed
<b>ACHTERDERAILLEUR</b>	Shimano Ultegra R8000 SS
<b>VOORDERAILLEUR</b>	Shimano Ultegra R8000
<b>KETTING</b>	KMC X11-EL
<b>WIELEN</b>	Vision Team 35 Comp Clincher
	Fulcrum Racing 400 Clincher
	DT Swiss PR1600 Spline 32
	DT Swiss ARC1400 Dicut 48
<b>BANDEN</b>	Vittoria Rubino Foldable 700x25 60TPI G+
	Hutchinson Fusion 5 All Season TLR 700x25
	Hutchinson Fusion 5 All Season TLR 700x28
<b>TRAPPERS</b>	N/A
<b>ZADELPEN</b>	Orbea Aero OMR
<b>ZADEL</b>	Prologo Dimension T4,0 size143 mm
	Prologo Scratch-2 Tirox size 143 mm Black
	Selle Italia SLR Kit Carbonio Black
<b>HANDLEBAR PLUGS</b>	Velo Anti-Slippery/Shock Proof
<b>ACHTERREM</b>	Shimano Ultegra R8010-RS

## GEOMETRIE

MAAT	47	49	51	53	55	57	60
<b>1 - SEAT_TUBE</b>	450	465	490	515	535	555	580
<b>2 - TOP_TUBE</b>	509	521	534	547	559	575	588
<b>3 - HEAD_TUBE</b>	100	108	124	144	163	181	208
<b>4 - CHAIN_STAY</b>	408						
<b>5 - BB_HEIGHT</b>	269.5						
<b>6 - BB_DROP</b>	72	72	72	70	70	70	70
<b>7 - WHEELBASE</b>	970	974	978	980	991	1000	1014
<b>8 - HEAD_ANGLE</b>	71	71.5	72.2	72.8	73	73.2	73.2
<b>9 - SEAT_ANGLE</b>	74.5	74	73.7	73.5	73.5	73.2	73.2
<b>10 - STANDOVER</b>	740	752	773	797	816	834	857
<b>11 - REACH</b>	370	375	380	385	391	398	404
<b>12 - STACK</b>	501	510	528	548	567	585	611
<b>13 - FORK_LENGTH</b>	370						
<b>14 - OFFSET</b>	48MM	48MM	48MM	43MM	43MM	43MM	43MM

## ERGONOMIE

MAAT	CRANK	STEM	HANDLEBAR
47	170	90	400
49	170	100	400
51	170	100	420
53	172.5	110	420
55	172.5	110	420
57	172.5	110	440
60	175	120	440

\* De maat van het fietsstuur is centre-centre



