

ORBEA



ORCA M20I-PRO 19.

BESCHIKBAAR IN DEZE KLEUREN:



BLAUW-BRIGHT-ROOD
(GLOSS)



WI-ROOD (DOF)



GROEN-BLAUW (DOF)



GRAFJET-ZWART

SPECIFICATIES AND OPTIES


FIETSFRAME	Orbea Orca carbon OMP, monocoque, tapered 1-1/8" - 1,5", PF 86mm, powermeter compatible, internal cable routing, EC/DC compatible, 130mm rear spacing, 27,2mm seat tube.
VORK	Orca OMP carbon fork, full carbon steerer, tapered 1-1/8" - 1,5", carbon dropouts.
CRANKSET	Shimano Ultegra R8000 34x50t FSA Gossamer Pro 32x48t Shimano Ultegra R8000 39x53t Rotor Aldhu 36x52t Rotor 2INpower DM 34x50t Rotor 2INpower DM 36x52t
BALHOOFDLAGER PERB	FSA 1-1/8 - 1-1/2" Integrated Carbon Cup ACB Bearings
STUUR	FSA Energy Compact FSA K-Force Compact Vision Metron 4D Compact
STUURPEN	FSA Energy FSA OS-99 CSI
HENDELS	Shimano Ultegra R8050 Di2
REMMEN	Shimano Ultegra R8000
KETTINGWIEL	Shimano Ultegra R8000 11-28t 11-Speed Shimano Ultegra R8000 11-25t 11-Speed Shimano Ultegra R8000 11-30t 11-Speed Shimano Ultegra R8000 11-32t 11-Speed (RD GS)
ACHTERDERAILLEUR	Shimano Ultegra Di2 R8050 SS Shimano Ultegra RD-R8050 GS
VOORDERAILLEUR	Shimano Ultegra Di2 R8050
KETTING	KMC X11-EL
WIELEN	Mavic Ksyrium UST Mavic Ksyrium Elite Black UST + Tires Fulcrum Racing 400 Clincher Vittoria Elusion Carbon 30
BANDEN	Vittoria Rubino Pro 700x25 120TPI G+
TRAPPERS	N/A
ZADELPEN	FSA SL-K SB20 27.2x350mm Di2 compatible FSA S-LK Offset SB0 27,2x350/400mm FSA K-Force Offset SB0 27,2x350/400mm FSA K-Force Offset SB25 27,2x350/400mm

GEOMETRIE

MAAT	47	49	51	53	55	57	60
1 - SEAT_TUBE	410	440	470	490	510	530	560
2 - TOP_TUBE	514.8	520.55	537.9	548.5	563.7	576	590
3 - HEAD_TUBE	104	112	130	145	165	182	207.1
4 - CHAIN_STAY	405	405	405	405	408	408	408
5 - BB_HEIGHT	271.5						
6 - BB_DROP	70						
7 - WHEELBASE	969.6	967.58	986.92	984.77	996.32	1003.89	1012.53
8 - HEAD_ANGLE	71°	71.4°	71.8°	72.1°	72.5°	73°	73.5°
9 - SEAT_ANGLE	73.5°	73.5°	73.5°	73.5°	73.2°	73.2°	73.2°
10 - STANDOVER	708	726	751	771	791	807	835
11 - REACH	365	372	380	385	391	398	404
12 - STACK	506	515	533	552	572	590	616
13 - FORK_LENGTH	375						
14 - OFFSET	53	53	53	43	43	43	43

ERGONOMIE

MAAT	CRANK	STEM	HANDLEBAR
47	170	90	400
49	170	100	400
51	170	100	420
53	170	110	420
55	172	110	420
57	172	110	440
60	175	120	440



* De maat van het fietsstuur is centre-centre

ZADEL	Hard Black Scratch-2 Tirox size 143 mm
	Selle Italia SLR Kit Carbonio Black
HANDLEBAR PLUGS	Velo Anti-Slippery/Shock Proof
ACHTERREM	Shimano Ultegra R8000
--	