

**ORBEA**



## ORCA M25-PRO 19.

BESCHIKBAAR IN DEZE KLEUREN:



BLAUW-BRIGHT-ROOD  
(GLOSS)



WI-ROOD (DOF)



GROEN-BLAUW (DOF)



GRAFJET-ZWART

## SPECIFICATIES AND OPTIES


<b>FIETSFRAME</b>	Orbea Orca carbon OMP, monocoque, tapered 1-1/8" - 1,5", PF 86mm, powermeter compatible, internal cable routing, EC/DC compatible, 130mm rear spacing, 27,2mm seat tube.
<b>VORK</b>	Orca OMP carbon fork, full carbon steerer, tapered 1-1/8" - 1,5", carbon dropouts.
<b>CRANKSET</b>	Shimano Ultegra R8000 34x50t FSA Gossamer Pro 32x48t Shimano Ultegra R8000 39x53t Rotor Aldhu 36x52t Rotor 2INpower DM 34x50t Rotor 2INpower DM 36x52t
<b>BALHOOFDLAGER PERB</b>	FSA 1-1/8 - 1-1/2" Integrated Carbon Cup ACB Bearings
<b>STUUR</b>	FSA Energy Compact FSA K-Force Compact Vision Metron 4D Compact
<b>STUURPEN</b>	FSA Energy FSA OS-99 CSI
<b>HENDELS</b>	Shimano Ultegra R8000
<b>REMMEN</b>	Shimano Ultegra R8000
<b>KETTINGWIEL</b>	Shimano Ultegra R8000 11-28t 11-Speed Shimano Ultegra R8000 11-25t 11-Speed Shimano Ultegra R8000 11-30t 11-Speed Shimano Ultegra R8000 11-32t 11-Speed (RD GS)
<b>ACHTERDERAILLEUR</b>	Shimano Ultegra R8000 SS Shimano Ultegra RD-R8000 GS
<b>VOORDERAILLEUR</b>	Shimano Ultegra R8000
<b>KETTING</b>	KMC X11-EL
<b>WIELEN</b>	Vittoria Elusion Carbon Clincher 30c Mavic Ksyrium Elite Black UST + Tires Fulcrum Racing 400 Clincher
<b>BANDEN</b>	Vittoria Rubino Foldable 700x25 60TPI G+
<b>TRAPPERS</b>	N/A
<b>ZADELPEN</b>	FSA SL-K SB20 27.2x350mm Di2 compatible FSA S-LK Offset SB0 27,2x350/400mm FSA K-Force Offset SB0 27,2x350/400mm FSA K-Force Offset SB25 27,2x350/400mm
<b>ZADEL</b>	Prologo Kappa RS STN size 143mm

## GEOMETRIE

MAAT	47	49	51	53	55	57	60
<b>1 - SEAT_TUBE</b>	410	440	470	490	510	530	560
<b>2 - TOP_TUBE</b>	514.8	520.55	537.9	548.5	563.7	576	590
<b>3 - HEAD_TUBE</b>	104	112	130	145	165	182	207.1
<b>4 - CHAIN_STAY</b>	405	405	405	405	408	408	408
<b>5 - BB_HEIGHT</b>	271.5						
<b>6 - BB_DROP</b>	70						
<b>7 - WHEELBASE</b>	969.6	967.58	986.92	984.77	996.32	1003.89	1012.53
<b>8 - HEAD_ANGLE</b>	71°	71.4°	71.8°	72.1°	72.5°	73°	73.5°
<b>9 - SEAT_ANGLE</b>	73.5°	73.5°	73.5°	73.5°	73.2°	73.2°	73.2°
<b>10 - STANDOVER</b>	708	726	751	771	791	807	835
<b>11 - REACH</b>	365	372	380	385	391	398	404
<b>12 - STACK</b>	506	515	533	552	572	590	616
<b>13 - FORK_LENGTH</b>	375						
<b>14 - OFFSET</b>	53	53	53	43	43	43	43

## ERGONOMIE

MAAT	CRANK	STEM	HANDLEBAR
47	170	90	400
49	170	100	400
51	170	100	420
53	170	110	420
55	172	110	420
57	172	110	440
60	175	120	440



\* De maat van het fietsstuur is centre-centre

---

Prologo Scratch-2 Tirox size 143 mm Black

---

Prologo Dimension T4,0 Black

---

Selle Italia SLR Kit Carbonio Black

---

**HANDLEBAR PLUGS** Velo Anti-Slippery/Shock Proof

---

**ACHTERREM** Shimano Ultegra R8000

---

--

---