



ORCA MIOILTD 19.

IN DIESEN FARBEN VORHANDEN:



SCHWARZ-ROT
(MATT-GLÄNZEND)



SCHWARZ-GRAU



SCHWARZ-ROT-WEISS
(MATT-GLÄNZEND)



HELLBLAU-ORANGE (MATT)



MINZE-SCHWARZ
(GLÄNZEND)



GELB-ROT (GLÄNZEND)

TECHNISCHE EIGENSCHAFTEN UND OPTIONEN

RAHMEN	Orbea Orca carbon OMR, monocoque construction, tapered 1-1/8" - 1,5", BB 386mm, powermeter compatible, internal cable routing, EC/DC compatible, 27,2mm seat tube.
GABEL	Orca OMR carbon fork, full carbon steerer, tapered 1-1/8" - 1,5", carbon dropouts
KURBEL	Shimano Dura-Ace 9100 34x50t
	Shimano Dura-Ace 9100 39x53t
	Rotor Aldhu 36x52t
	Rotor 2INpower DM 34x50t
	Rotor 2INpower DM 36x52t
STEUERSATZ	FSA 1-1/8" - 1-1/2" Integrated Carbon Cup Light Bearings
LENKER	Vision Metron 4D Compact
	FSA Energy Compact
	FSA K-Force Compact
VORBAU	FSA OS-99 CSI
	FSA Energy
HEBEL	Shimano Dura-Ace 9150 Di2
BREMSEN	Shimano Dura-Ace 9100
KASSETTE	Shimano Dura-Ace 9100 11-28t 11-Speed
	Shimano Dura-Ace 9100 11-25t 11-Speed
	Shimano Dura-Ace 9100 11-30t 11-Speed
SCHALTWERK	Shimano Dura-Ace 9150 Di2
UMWERFER	Shimano Dura-Ace 9150 Di2
KETTE	Shimano HG 901
FELGE	DT ARC 1400 Dicut 48 Carbon TL
	Vittoria Elusion Carbon 30
REIFEN	Hutchinson Fusion 5 All Season TLR 700x25
	Hutchinson Fusion 5 All Season TLR 700x28
PEDALE	N/A
SATTELSTÜTZE	FSA K-Force Light SB25 27.2x400mm Di2 compatible
	FSA S-LK Offset SB0 27,2x350/400mm
	FSA S-LK Offset SB20 27,2x350/400mm
	FSA K-Force Offset SB0 27,2x350/400mm
SATTEL	Selle Italia SLR Kit Carbonio
	Prologo Scratch-2 Tirox size 143 mm Black
	Prologo Dimension T4,0 Black
LENKERBAND	Velo Anti-Slippery/Shock Proof


GEOMETRIE

GRÖÖE	47	49	51	53	55	57	60
1 - SEAT_TUBE	440	460	480	500	520	540	570
2 - TOP_TUBE	510	522	536	548,5	560	576	590
3 - HEAD_TUBE	104	111	130	148	168	186	213
4 - CHAIN_STAY	408						
5 - BB_HEIGHT	269,5	269,5	269,5	271,5	271,5	271,5	271,5
6 - BB_DROP	72	72	72	70	70	70	70
7 - WHEELBASE	972	975	980	981	991	1002	1027
8 - HEAD_ANGLE	71°	71,5°	72,2°	72,8°	73°	73,2°	73,2°
9 - SEAT_ANGLE	74,5°	74°	73,7°	73,5°	73,5°	73,2°	73,2°
10 - STANDOVER	729	742	758	780	800	817	844
11 - REACH	370	375	380	385	391	398	404
12 - STACK	506	515	533	552	572	590	616
13 - FORK_LENGTH	370						
14 - OFFSET	48	48	48	43	43	43	43

ERGONOMIE

GRÖÖE	KURBELLÄNGE	VORBRAU	LENKER
47	170	90	400
49	170	100	400
51	170	100	420
53	170	110	420
55	172	110	420
57	172	110	440
60	175	120	440

* Das Lenkermaß ist Mitte-Mitte



--
