

ORBEA



ORCA AERO M20iTEAM-D.

È DISPONIBILE IN QUESTI COLORI:



NERO (OPACO-LUCIDO)



ARGENTO-BRIGHT RED
(LUCIDO) / CARBONIO
(OPACO)



BLU SENSATION (OPACO) /
NERO (LUCIDO)

SPECIFICHE E OPTIONAL

TELAIO	Orbea Orca Aero carbon OMR disc, monocoque construction, tapered 1-1/8" - 1,5", BB 386, powermeter compatible, Thru Axle 12mm x 142mm rear, thread M12x P1.5, internal cable routing, EC/DC compatible.
FORCELLA	Orca Aero carbon OMR disc fork, full carbon steerer, tapered 1-1/8" - 1,5", carbon dropouts Thru axle 12mm x 100m, thread M12xP1.5
GUARNITURA	Shimano Ultegra R8000 34x50t Shimano Ultegra R8000 39x53t FSA Powerbox Alloy 34x50t
SERIE STERZO	FSA 1-1/8 - 1-1/2" Integrated Carbon Cup ACB Bearings
MANUBRIO	OC2 Road, reach 80mm, drop 125mm OC2 Road Carbon, reach 80mm, drop 125mm Vision Metron 5D Compact
ATTACCO	OC2 Road -8°
LEVE	Shimano ST-8070
FRENI	Shimano R8070 Hydraulic Disc
PIGNONI	Shimano Ultegra R8000 11-28t 11-Speed Shimano Ultegra R8000 11-25t 11-Speed Shimano Ultegra R8000 11-30t 11-Speed
CAMBIO	Shimano Ultegra Di2 R8050 SS
DERAGLIATORE	Shimano Ultegra Di2 R8050
CATENA	KMC X11-EL
RUOTE	FULCRUM Racing 400 DB DT Swiss ARC 1400 Dicut DB 48 Carbon CL TL Vision Metron 40 SC DB Carbon Clincher/CL/TLR Mavic Ksyrium Pro Carbon DB CL/UST + Yksion PRO 25C
PNEUMATICO	Hutchinson Fusion 5 All Season TLR 700x28
PEDALI	N/A
REGGISSELLA	Orbea Aero OMR
SELLA	Prologo Dimension T4.0 size 143 mm Prologo Scratch-2 Tirox size 143mm Black Selle Italia SLR Kit Carbonio Black
NASTRO PER MANUBRIO	Orbea Anti-Slippery/Shock Proof
BLOQUEO ANTERIORE	Orbea Road 12x100mm, thread M12xP1.5
BLOQUEO POSTERIORE	Orbea Road 12x142mm, thread M12xP1.5


GEOMETRIA

TAGLIA	47	49	51	53	55	57	60
1 - SEAT_TUBE	450	465	490	515	535	555	580
2 - TOP_TUBE	509	521	534	547	559	575	588
3 - HEAD_TUBE	100	108	124	144	163	181	208
4 - CHAIN_STAY	408						
5 - BB_HEIGHT	269,5	269,5	269,5	271,5	271,5	271,5	271,5
6 - BB_DROP	72	72	72	70	70	70	70
7 - WHEELBASE	970	974	978	980	991	1000	1014
8 - HEAD_ANGLE	71°	71.5°	72.2°	72.8°	73°	73.2°	73.2°
9 - SEAT_ANGLE	74.5°	74°	73.7°	73.5°	73.5°	73.2°	73.2°
10 - STANDOVER	464,9	478,5	499,2	516,1	540	558,2	582,6
11 - REACH	370	375	380	385	391	398	404
12 - STACK	501	510	528	548	567	585	611
13 - FORK_LENGTH	370						
14 - OFFSET	48	48	48	43	43	43	43
15 - WHEEL_SIZE	683						

ERGONOMIA

TAGLIA	BIELLA	ATTACCO	MANUBRIO
47	170	90	400
49	170	100	400
51	170	100	420
53	170	110	420
55	172	110	420
57	172	110	440
60	175	120	440

* La misura del manubrio è centro-Centro



--

Left Road
