

ORBEA



ORCA M25TEAM-D.

È DISPONIBILE IN QUESTI COLORI:



NERO (OPACO-LUCIDO)



BLU BONDI (LUCIDO)



BLU MARINO MET - BRIGHT
RED (OPACO)

SPECIFICHE E OPTIONAL

TELAIO	Orbea Orca OMR Disc carbon 2020, monocoque construction, tapered 1-1/8" - 1,5", BB 386, powermeter compatible, thru axle 12mm x 142mm rear, thread M12x P1.5, internal cable routing, EC/DC compatible, SP 27,2mm.
FORCELLA	Orbea Orca OMR Disc carbon fork 2020, full carbon steerer, tapered 1-1/8" - 1,5", carbon dropouts, thru axle 12 x 100mm, thread M12xP1.5
GUARNITURA	Shimano Ultegra R8000 34x50t
	Shimano Ultegra R8000 39x53t
	FSA Powerbox Alloy 34x50t
	FSA Powerbox Alloy 36x52t
	FSA Powerbox Carbon 34x50t
	FSA Powerbox Carbon 36x52t
SERIE STERZO	FSA 1-1/8 - 1-1/2" Integrated Carbon Cup ACB Bearings
MANUBRIO	OC2 Road, reach 80mm, drop 125mm
	OC2 Road Carbon, reach 80mm, drop 125mm
ATTACCO	OC2 Road -8°
LEVE	Shimano ST-8020
FRENI	Shimano R8070 Hydraulic Disc
PIGNONI	Shimano Ultegra R8000 11-28t 11-Speed
	Shimano Ultegra R8000 11-25t 11-Speed
	Shimano Ultegra R8000 11-30t 11-Speed
CAMBIO	Shimano Ultegra R8000 SS
DERAGLIATORE	Shimano Ultegra R8000
CATENA	Shimano HG 701
RUOTE	Vision 40 SC Disc Carbon TLR CL
	DT Swiss ARC 1400 Dicut DB 48 Carbon CL TL
	Mavic Ksyrium Pro Carbon DB CL/UST + Yksion PRO 25C
PNEUMATICO	Hutchinson Fusion 5 All Season TLR 700x28
	Hutchinson Fusion 5 Performance TLR 700x30
PEDALI	N/A
REGGISELLA	OC2 27.2 Offset 20
	FSA S-LK Offset SB0 27.2x350/400mm
SELLA	Prologo Dimension T4.0 size143 mm
	Selle Italia SLR Kit Carbonio Black
NASTRO PER MANUBRIO	Orbea Anti-Slippery/Shock Proof


GEOMETRIA

TAGLIA	47	49	51	53	55	57	60
1 - SEAT_TUBE	440	460	480	500	520	540	570
2 - TOP_TUBE	510	522	536	548,8	560	576	590
3 - HEAD_TUBE	104	111	130	148	168	186	213
4 - CHAIN_STAY	414						
5 - BB_HEIGHT	269,5	269,5	269,5	271,5	271,5	271,5	271,5
6 - BB_DROP	72	72	72	70	70	70	70
7 - WHEELBASE	979	983	987	988	999	1009	1023
8 - HEAD_ANGLE	71°	71.5°	72.2°	72.8°	73°	73.2°	73.2°
9 - SEAT_ANGLE	74.5°	74°	73.7°	73.5°	73.5°	73.2°	73.2°
10 - STANDOVER	729	742	758	780	800	817	844
11 - REACH	370	375	380	385	391	398	404
12 - STACK	506	515	533	552	572	590	616
13 - FORK_LENGTH	370						

ERGONOMIA

TAGLIA	BIELLA	ATTACCHO	MANUBRIO
47	170	90	400
49	170	100	400
51	170	100	420
53	170	110	420
55	172	110	420
57	172	110	440
60	175	120	440

* La misura del manubrio è centro-Centro



BLOQUEO ANTERIORE Orbea Road 12x100mm, thread M12xP1.5

BLOQUEO POSTERIORE Orbea Road 12x142mm, thread M12xP1.5

--
