

**ORBEA**



## AVANT MIOTEAM-D 19.

BESCHIKBAAR IN DEZE KLEUREN:



BLAUW-ROOD (DOF)



ZWART (MAT) / GRIJS  
(GLOSS)



JADE-ZWART



WIT-ZWART (DOF-GLOSS)

## SPECIFICATIES AND OPTIES

<b>FIETSFRAME</b>	Orbea Avant carbon OMP disc, monocoque construction, tapered 1-1/8" - 1,5", BB 386mm, powermeter compatible, Thru Axle 12mm x 142mm rear, internal cable routing, EC/DC compatible, 27,2mm seat tube.
<b>VORK</b>	Avant OMP carbon disc fork, full carbon steerer, tapered 1-1/8" - 1,5", carbon dropouts Thru axle 12mm x 100m
<b>CRANKSET</b>	Shimano Dura-Ace 9100 34x50t
	Shimano Dura-Ace 9100 39x53t
	Rotor Aldhu 36x52t
	Rotor 2INpower DM 34x50t
	Rotor 2INpower DM 36x52t
<b>BALHOOFDLAGER PERB</b>	FSA 1-1/8 - 1-1/2" Integrated Carbon Cup ACB Bearings
<b>STUUR</b>	FSA Energy Compact
	FSA K-Force Compact
<b>STUURPEN</b>	FSA Energy
	FSA OS-99 CSI
<b>HENDELS</b>	Shimano R9120
<b>REMMEN</b>	Shimano R9170 Hydraulic Disc
<b>KETTINGWIEL</b>	Shimano Dura-Ace 9100 11-28t 11-Speed
	Shimano Dura-Ace 9100 11-25t 11-Speed
	Shimano Dura-Ace 9100 11-30t 11-Speed
<b>ACHTERDERAILLEUR</b>	Shimano Dura-Ace 9100
<b>VOORDERAILLEUR</b>	Shimano Dura-Ace 9100
<b>KETTING</b>	Shimano HG 901
<b>WIELEN</b>	DT ER 1600 Spline DB 32 CL TL
<b>BANDEN</b>	Hutchinson Fusion 5 All Season TLR 700x25
	Hutchinson Fusion 5 All Season TLR 700x28
<b>TRAPPERS</b>	N/A
<b>ZADELPEN</b>	FSA SL-K SB20 27.2x350mm Di2 compatible
	FSA S-LK Offset SB0 27,2x350/400mm
	FSA K-Force Offset SB0 27,2x350/400mm
	FSA K-Force Offset SB25 27,2x350/400mm
<b>ZADEL</b>	Prologo Nago Evo Space Tirox size 141mm
	Prologo Scratch-2 Tirox size 143 mm Black
	Prologo Dimension T4,0 Black
	Selle Italia SLR Kit Carbonio Black
<b>HANDLEBAR PLUGS</b>	Velo Anti-Slippery/Shock Proof


## GEOMETRIE

MAAT	47	49	51	53	55	57	60
<b>1 - SEAT_TUBE</b>	410	440	470	490	510	530	560
<b>2 - TOP_TUBE</b>	508	520	533	547	559	578	592
<b>3 - HEAD_TUBE</b>	108	121	138	158	181	200	221
<b>4 - CHAIN_STAY</b>				415			
<b>5 - BB_HEIGHT</b>	270	270	270	272	272	272	272
<b>6 - BB_DROP</b>	75	75	75	73	73	73	73
<b>7 - WHEELBASE</b>	978	979	989	992	1002	1013	1025
<b>8 - HEAD_ANGLE</b>	71°	71.5°	71.9°	72.4°	72.6°	72.8°	73°
<b>9 - SEAT_ANGLE</b>	74.5°	74°	73.75°	73.5°	73.5°	73°	73°
<b>10 - STANDOVER</b>	727.5	750	771.6	793.3	814	832.4	857.3
<b>11 - REACH</b>	364	368	372	378	383	390	398
<b>12 - STACK</b>	520	535	553	572	595	614	635
<b>13 - FORK_LENGTH</b>				380			
<b>14 - OFFSET</b>	50	50	50	45	45	45	45

## ERGONOMIE

MAAT	CRANK	STEM	HANDLEBAR
47	170	90	400
49	170	100	400
51	170	100	420
53	170	110	420
55	172	110	420
57	172	110	440
60	175	120	440

\* De maat van het fietsstuur is centre-centre



---

---

--

---

---