

**ORBEA**



## RALLON MIO.

AVAILABLE IN THESE COLORS:



BLACK (MATTE) /  
BLACK-PURPLE (GLOSS)



GREEN (MATTE) /ORANGE  
(GLOSS)



GREY BLUE - BRIGHT RED  
(GLOSS)

## SPECIFICATIONS AND OPTIONS

<b>FRAME</b>	Orbea Monocoque Race Carbon. Advanced Dynamics 160mm suspension technology. 29" wheels. Concentric Boost 12x148 rear axle. Pure Enduro geometry. Internal cable routing. ISCG05
<b>SHOCK</b>	Fox DPX2 Performance 3-Position Evol custom tune 230x60mm
	Fox DHX2 Factory 2-Position Adjust SLS Spring TiN 230x60mm
	Fox Float X2 Factory 2-Position Adjust Kashima 230x60mm
<b>FORK</b>	Fox 36 Float Performance 170 Grip 3-Position QR15x110
	Fox 36 Float Factory 170 Grip2 RC2 QR15x110 Kashima
<b>CRANKSET</b>	SRAM Descendant CNC Eagle Dub Boost 32t
<b>HEADSET</b>	Acros Alloy 1-1/8 - 1-1/2" Integrated
<b>HANDLEBAR</b>	Race Face Aeffect 35 20mm Rise 780mm
	Race Face Next R 35 Rise 800mm + Turbine R Kit (Bar+Stem)
<b>STEM</b>	Race Face Aeffect R 35mm interface
<b>SHIFTERS</b>	SRAM GX Eagle
<b>BRAKES</b>	Shimano XT M8120 Hydraulic Disc
	SRAM Code RSC Hydraulic Disc (180mm rotors)
<b>CASSETTE</b>	SRAM GX XG-1275 Eagle 10-50t 12-Speed
<b>REAR DERAILLEUR</b>	SRAM X01 Eagle
<b>CHAIN</b>	SRAM GX Eagle 12-Speed
<b>WHEELS</b>	DT Swiss E-1900 Spline 30c TLR 15/110mm CL
<b>TYRES</b>	Maxxis Minion DHF 2.50" FB 60 TPI 3C Maxx Terra Exo TR
<b>TYRES</b>	Maxxis Minion DHR II 2.40" FB 60 TPI Dual Exo TR
<b>PEDALS</b>	N/A
<b>SEATPOST</b>	OC2 Dropper 31.6mm
	Crank Brothers Highline 125mm travel
	Crank Brothers Highline 150mm travel
	Crank Brothers Highline 170mm travel
	OC2 Dropper 31.6mm 125mm travel
	OC2 Dropper 31.6mm 150mm travel
	OC2 Dropper 31.6mm 170mm travel
<b>SADDLE</b>	Fizik Taiga S-alloy rail
	Fizik Taiga Kium rail

## GEOMETRY


SIZE	S/M	L	XL
<b>1 - SEAT_TUBE</b>	406	444	483
<b>2 - TOP_TUBE</b>	583	611	644
<b>3 - HEAD_TUBE</b>	100	110	125
<b>4 - CHAIN_STAY</b>		435	
<b>5 - BB_HEIGHT*</b>		346/339	
<b>6 - BB_DROP*</b>		25/32	
<b>7 - WHEELBASE</b>	1187	1217	1253
<b>8 - HEAD_ANGLE*</b>		65/64,5°	
<b>9 - SEAT_ANGLE*</b>		76/75	
<b>10 - STANDOVER</b>	737	767	781
<b>11 - REACH</b>	430	455	485
<b>12 - STACK</b>	618	627	640
<b>13 - FORK_LENGTH</b>		577,1	
<b>14 - OFFSET</b>		44	

\*

## ERGONOMICS

SIZE	CRANK	STEM	HANDLEBAR
<b>S/M</b>	170	45	780
<b>LG</b>	170	45	780
<b>XL</b>	170	55	780

\* The handlebar size is centre-centre



<b>CHAINGUIDE</b>	N/A
	ONE-UP ISCG05 Chainguide
<b>FRONT HUB</b>	
	Fox Kabolt Boost
<b>REMOTE LOCKOUT</b>	Shimano MT-800 I-Spec EV
--	